Double Sided Jointing Tape MSDS

| SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING | | |
|---|---|--|
| Product Identifier | Double Sided Jointing Tape (HQB2) | |
| Identified Use | Double sided, self-adhesive jointing tape for use with construction membranes | |
| Supplier of Data Sheet | Cordek Limited, Spring Copse Business Park, Slinfold, West Sussex, RH13 0SZ | |
| Emergency Telephone Number | Tel: (+44) 1403 799600 Open Monday to Friday 8.30am – 5.30pm | |

SECTION 2: HAZARDS IDENTIFICATION

Physical and Chemical Hazards / Fire and Explosion Hazards

Solid material, elastic, adhesive chemically inert product which will soften & increase in tack with heat & may support combustion in roll form but in use with paper liner removed between two non-flammable surfaces will be self-extinguishing.

This material is not considered hazardous according to the regulatory guidelines

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

A formulation based on polyisobutene, polybutene and inert inorganic fillers mixed to a homogeneous blend.

| SECTION 4: FIRST AID MEASURES | | | |
|-------------------------------|---|--|--|
| Inhalation | Not applicable. | | |
| Skin Contact | First aid is normally not required. | | |
| Eye Contact | Flush eyes with large amounts of water until irritation subsides. If irritation persists, | | |
| Eye Contact | get medical attention. | | |
| Ingestion | First aid is normally not required. | | |

| SECTION 5: FIREFIGHTING MEASURES | | |
|----------------------------------|---|--|
| Fire-Fighting Procedures | Use water spray to cool fire exposed surfaces and to protect personnel. Block the supply to the fire. | |
| Special Fire Precautions | Extinguish the fire by cooling with water spray. Avoid direct physical contact with product as it will be soft & highly adhesive. See Sections 4 "First Aid Measures" and 10 "Stability and Reactivity" | |
| Hazardous Combustion Products | No unusual | |
| | | |

| SECTION 6: ACCIDENTAL RELEA | SE MEASURES | | | | |
|-----------------------------|--|--|--|--|--|
| Land Spill | Sweep up spilled material and place in suitable containers for recycle or disposal. | | | | |
| | Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. | | | | |
| | See Sections "First Aid Measures" and "Stability and Reactivity" | | | | |
| Water Spill | Stop source if possible to do so without hazard. Advise authorities of possible floating substances, if material enters watercourses or sewers. Confine if possible. | | | | |
| | Skim from surface. | | | | |
| | Consult an expert on disposal of any recovered material and ensure conformity to local disposal regulations. | | | | |
| | See Sections "First Aid Measures" and "Stability and Reactivity". | | | | |



| SECTION 7: HANDLING AND STO | DRAGE |
|--|--|
| Storage Temperature (Deg C) | Ambient |
| Transport Temperature (Deg C) | Ambient |
| Loading / Unloading Temperature (Deg C) | Ambient |
| Viscosity (cSt) | Not Applicable |
| Storage / Transport Pressure (kPa) | Atmospheric |
| Electrostatic Accumulation Hazard? | No, not from product, slight static charge may be developed from the removal of the release paper, if relevant use appropriate grounding procedures |
| Usual Shipping Containers | In cardboard cartons, on wooden pallets |
| Materials and Coatings Unsuitable | None |
| | Store in a cool, well ventilated place away from incompatible materials. |
| Storage / Handling, General Notes | Do NOT remove release liner or store cartons of product near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. |
| | Shelf life in excess of 24 months in ambient conditions. |
| | |

| SE | CH | ум 8 | : EX | PO | SURE | CON | IRO | LS/PI | ERS | ONA | L PRC | IEC | HON |
|----|----|------|------|----|------|-----|-----|-------|-----|-----|-------|-----|-----|
| _ | | | _ | | | | | | | | | | |

 Engineering Control Measures
 No special requirements

 Personal Protection
 No special requirements

| SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (THESE ARE INDICATIVE VALUES ONLY.) | | | |
|---|---|--|--|
| Physical State | emi-solid | | |
| Form/Colour | Pigmented elastic material with high tack | | |
| Flashpoint | 180 DEG C min | | |
| Autoignition Temp | Not available | | |
| Specific Gravity | 1.68 g/cc | | |
| Solubility in Water | No | | |
| Is Material Hygroscopic | No | | |

| SECTION 10: STABILITY AND REA | ACTIVITY |
|---|--|
| Hazardous Polymerisation? | No |
| Conditions to Avoid Polymerisation | Not Applicable |
| Stability | Stable |
| Conditions to Avoid Instability | Not Applicable |
| Materials and Conditions to Avoid (Incompatibility) | Strong oxidizing agents, product will be affected by organic solvents. |
| Hazardous Decomposition Products | None |

| SECTION 11: TOXICOLOGICAL INFORMATION | | |
|---------------------------------------|---|--|
| Acute | | |
| Inhalation | Negligible hazard at ambient temperatures. | |
| Skin Contact | Low order of toxicity. | |
| Eye Contact | Slightly irritating due to solid form but composition not known to injure eye tissue. | |
| Ingestion | Minimal toxicity. | |
| | | |



| SECTION 12: ECOLOGICAL INFORMATION | | | |
|------------------------------------|---|--|--|
| | The information given is based on data available for the material, the components of the material, and similar materials. | | |
| Ecotoxicity | Material – Not expected to be harmful to aquatic organisms Material – Not expected to demonstrate chronic toxicity to aquatic organisms | | |
| Mobility | Material – Low solubility and sinks in water. The product is virtually insoluble in water and thus can be separated from water mechanically in suitable effluent treatment plants | | |
| Persistence And Degradability | Biodegradation Material – Expected to be persistent | | |
| Bioaccumalation Potential | Material – Potential to bioaccumulate is low | | |
| | | | |

SECTION 13: DISPOSAL CONSIDERATIONS

The following advice only applies to the product as supplied.

Combination with other materials may well indicate another route of disposal.

Care should in any case be taken to ensure compliance with EC, national and local regulations.

This product is suitable for disposal in an approved landfill or by controlled incineration.

| SECTION 14: TRANSPORT INFORMATION | | |
|--|------|--|
| Land (railway/road, such as RID/ADR) ADR/RID Class, Item | None | |
| Inland Waterways (such as ADN/R) AND/R Class, Item | None | |
| Sea (IMDG) UN Number | 0000 | |
| IMO Class | None | |
| Marine Pollutant | None | |
| Air (ICAO/IATA) ICAO/IATA Class | None | |

| SECTION 15: REGULATORY INFORMATORY | | |
|------------------------------------|--|--|
| Classification and Labelling Acco | ording to EU Directives | |
| Classification/Symbol | Not Regulated | |
| Governing Directive | According to the EEC Directives, the product does not require classification and labeling. | |
| | | |

SECTION 16: OTHER INFORMATION

This information relates only to the specific material designated and may not be valid for such material used in combination with other materials or in any process.

Such information is to the best of the company's knowledge and belief accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy their selves as to the suitability and completeness of such information for their own particular use.

Issued 10/2015

DISCLAIMER: Information contained within this 'Material Safety Data Sheet' is for guidance only, and it is intended for experienced construction industry workers. It contains summaries of aspects of the subject matter and does not provide comprehensive statements of construction industry practice.

As conditions of usage and installation are beyond our control we do not warrant performance obtained. Please contact us if you have any doubt as to the suitability of application. The information provided within this document is based on data and knowledge correct at the time of printing.

Cordek Ltd

Spring Copse Business Park, Slinfold, West Sussex RH13 0SZ, United Kingdom

Telephone (+44) 1403 799600 Fax (+44) 1403 791718 E-mail info@cordek.com

